

Sample Received: **March 25, 2026**

COA Issued: **April 4, 2026**

PRODUCT INFORMATION

Vendor: American Peptides	Sample Name: Klow 80mg	Sample Type: Blue lyophilized powder	Batch Number: KLOW80-0318	MW: 342.2, 403.4, 1419.4, 4964.5
-------------------------------------	----------------------------------	--	-------------------------------------	--

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS

Purity: RP-HPLC (214 nm)

Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: Klow	GHK-Cu, KPV, BPC-157, TB-500	MALDI-MS	✓ Conforms
Content	51.45, 10.56, 11.45, 10.87 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.7%	RP-HPLC (214 nm)	✓ Conforms



Endotoxin Threshold		Result
Replicate 1	≤ 0.05 EU/mL	PASS

ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.117, 2.392, 5.73, 5.93 min)



Mass Spectrum (MALDI-MS)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.

Contact: info@bioviridians.com