

SAMPLE RECEIVED  
August 11, 2026

COA ISSUED  
August 17, 2026

SAMPLE INFORMATION

|                                    |                                                   |                                               |
|------------------------------------|---------------------------------------------------|-----------------------------------------------|
| Vendor<br><b>American Peptides</b> | Sample Name<br><b>KLOW Blend 80mg</b>             | Sample Type<br><b>Blue lyophilized powder</b> |
| Lot Number<br><b>KLOW80-0713</b>   | MW (g/mol)<br><b>342.4, 403.2, 1419.5, 4964.2</b> |                                               |



ANALYTICAL METHODS

**Identity:** Confirmed via LC-MS/MS  
**Purity:** RP-HPLC (214 nm)  
**Content:** HPLC quantitation

TEST RESULTS

| Specification        | Result                        | Method            | Status     |
|----------------------|-------------------------------|-------------------|------------|
| Identity: KLOW Blend | KPV, GHK-Cu, BPC-157, TB-500  | LC-MS/MS          | ✓ Conforms |
| Content              | 50.71, 10.14, 10.82, 10.77 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity       | 99.81%                        | RP-HPLC (214 nm)  | ✓ Conforms |
| Endotoxin            | <0.05 EU/mL                   | <USP85>           | ✓ Conforms |
| Heavy Metals         | <0.01 ppm                     | <USP232>          | ✓ Conforms |

HPLC Chromatogram · Retention Time 1.971, 2.087, 9.118, 9.163 min



**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at [bioviridians.com/coa-search.html](https://bioviridians.com/coa-search.html) using the Web Verification Code above.



info@bioviridians.com

*Shane Straight*  
Shane Straight, M.S.  
Principal Chemist, Bioviridian Inc.